EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	3	"20020198899"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 12:47
S4	2	"20040215637"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:18
S7	32	S6 and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:19
S5	31904	kitamura.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:19
S8	6	S7 and duplicat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:34
S9	6	"822273".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:45
S10	22632	database and duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:46
S13	0	"20020059324".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:48
S12	1	"6658541".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:48
S14	6543260	second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:49

S16	6143	S15 and switch\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:50
S17	995	S16 and (switch\$5 with access)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 13:51
\$20	2	"20020188887"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 14:52
S21	2	"20030065780"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 15:06
S22	2	"20030065780" and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 15:17
S23	1	"6567811".pn. and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 15:18
S24	1	"6691245",pn. and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 15:19
S25	1	"5742792".pn. and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 15:21
S26	2	"6757698",pn. and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 15:46
S27	1	"6047294".pn. and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 16:00
S28	0	"610497".pn. and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 16:02

529	2	"6101497".pn. and (log or history or switch\$4 or duplicate or access)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 16:03
S31	2	"20030065780"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:42
S30	0	"20030065780" and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:42
S34	0	"6047294".pn. and (parallel or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:46
S33	20	"6047294" and (parallel or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:46
S32	0	"20030065780" and concurrent	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:46
S38	1	"6757698".pn. and (parallel or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:56
S37	0	"6567811".pn. and (parallel or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:56
S36	0	"6691245".pn. and (parallel or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:56
25	4	"781677".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 10:19
S39	2	"20030065780"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 10:34

S41	53	((reorganiz\$5 or re?organiz \$5) near5 ((database\$1 or storage\$1 or back?up\$1 or backup\$1) with (first or original or existing or current))) and @ad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 10:47
S40	653	((organiz\$5 or reorganiz\$5 or re?organiz\$5 or re?organiz\$5) near5 ((database\$1 or storage\$1 or back?up\$1 or backup\$1) with (first or original or existing or current)) and @ad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 10:47
S44	2	"20030135478"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 14:22
S43	1	"20030065780" and (updat \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 14:22
S45	2	"20060031254"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 16:23
S48	1	"5742792".pn. and access\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:00
S50	1	"20040215637" and (replica or mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:02
S 49	194	"5742792" and (replica or mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:02
S46	2	"20040215637" and access\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:29
S51	2	"20030065780" and (replica or synchron\$7 or access\$2 or determin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:36

S52	1	"6101497".pn. and (access\$2 with (backup\$1 or synchron \$7 or mirror\$3 or replic\$5))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:37
S53	2	"6101497".pn. and (access\$2 same (backup\$1 or synchron \$7 or mirror\$3 or replic\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:58
S59	3539	(determin\$5 with (replica\$4 or mirror\$3 or synchron\$7) with (access or allow\$3)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 15:10
S61	348	S60 and (database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 15:13
S56	103826	((replica\$4 or mirror\$3 or synchron\$7) with (access or allow\$3)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/20 10:56
S64	10	((((access\$3 or request\$3) with (program\$1 or application\$1 or service\$1) with (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permis\$40); same database\$1 same (mirrof\$3 or replicat\$3 or synchroniz\$5) and (@ad<*20031001"	US-POPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR .	ÖFF	2007/01/20
S66	409	(((access\$3) near5 (program \$1) near5 (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4)) with database\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/20 11:04
S65	1555	[(((access\$3) with (program \$1) with (authoriz\$5 or allow \$4 or grant\$3 or permission \$1 or permit\$4)) same database\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/20 11:04
S67	11	(((access\$3) near5 ((list\$1 or table\$1) near3 program\$1) near5 (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4)) with database\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/20 11:07

S68	42	((((list\$1 or table\$1) near3 program\$1) near5 (authoriz \$5 or allow\$4 or grant\$3 or permission\$1 or permi\$4)) with database\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/20 11:08
S15	14072	S11 and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:39
S72	2412	S70 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:40
S71	6	S70 and 707/1-104.1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:40
S69	30200	database and duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:40
S74	54	S72 and ((reorganiz\$5 or re? organiz\$5) with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:41
S73	179	S72 and (reorganiz\$5 or re? organiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 10:41
Si	1664954	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/11 13:00
S75	2	"20030065780"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/11 13:01
S70	17091	S69 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:56

S11	15435	S10 and @ad<"20030101"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:56
S60	1632	(determin\$5 with (replica\$4 or mirror\$3 or synchron\$7) with (access\$3)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:57
S57	15932	((replica\$4) with (access or allow\$3)) and @ad<"20031001"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:57
S54	2	"20030135478" and (access \$2 same (backup\$1 or synchron\$7 or mirror\$3 or replic\$5))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:58
S79	0	\$77 and ((replica\$4 or mirror \$3 or synchron\$7) with (access or allow\$3))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:59
S78	0	\$77 and (while with (replica \$4 or mirror\$3 or synchron \$7) with (access or allow\$3))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:59
S77	2	"20030135478" and (access \$2 same (backup\$1 or synchron\$7 or mirror\$3 or replic\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:59
S55	0	(while with (replica\$4 or mirror\$3 or synchron\$7) with (access or allow\$3)) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:59
S80	149365	((replica\$4 or mirror\$3 or synchron\$7) with (access or allow\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:00
S81	0	\$30 and (while with (replicat \$4) with (access\$3 or allow \$3))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:01

S63	355	[(((access\$3 or request\$3) with (program\$1 or application\$1 or service\$1) with (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4)) same database\$1) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:03
S85	0	S84 and kitmura.uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:04
S83	1046	S92 and ((access\$3 or request \$3) with (program\$1 or application\$1 or service\$1) with (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:04
S87	0	S86 and while	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:05
S86	117	S83 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:06
S89	1	"20070100834" and (mirror \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:07
S88	1	"20070192329" and (mirror \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:07
S76	115629	(access\$2 same (backup\$1 or synchron\$7 or mirror\$3 or replic\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:38
S91	2	"20060253724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:40
S95	40	(access\$2 same (backup\$1 or synchron\$7 or mirror\$3 or replic\$5)) and "20030411". rlad.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:42

S94	6	\$93 and "20030411".prad.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:42
S93	30354	database and duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:42
S92	1	"20060253724" and ((replica \$4 or mirror\$3 or synchroniz \$7) SAME (access\$3 or allow \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:42
S96	275	"L40" and ((replica\$4 or mirror\$3 or synchroniz\$7) SAME (access\$3 or allow\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:43
S98	57	((replica\$4 or mirror\$3 or synchroniz\$7) with (access\$3 or allow\$3)) and "20030411". rlad.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:45
S97	688	((organiz\$5 or reorganiz\$5 or reorganiz\$5 or reorganiz\$5 near5 ((database\$1 or storage\$1 or back*up\$1) with (first or original or existing or current))) and @ad<"20030501"	US-RGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 10:46
S6	1800	S5 and Hitachi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:17
S100	734	\$99 and @rlad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:18
S99	35957	kitamura.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:18
S103	98	S102 and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:19

S102	7628	S99 and @prad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:19
S101	20	S100 and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:19
S104	0	S103 and (((access\$3 or request\$3) with (program\$1 or application\$1 or service\$1) with (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4)) same database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:22
S105	0	\$103 and (((access\$3 or request\$3) with (program\$1 or application\$1 or service\$1) same (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4)) same database\$1)	US PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/09/25 14:27
S18	513	S17 and (log or history)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:27
S114	1	S103 and (((access\$3 or request\$3) same (program\$1 or application\$1 or service\$1) same (read or write or input or output) same (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permis\$4)) same (atabase\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/09/25 14:28
S112	568	S111 and (log or history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:28
S111	1109	S110 and (switch\$5 with access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:28
S110	6821	S109 and switch\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:28

S109	15648	S108 and second	US PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:28
S108	17129	S107 and @ad< "20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:28
S107	30451	database and duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:28
S106	0	S103 and (((access\$3 or request\$3) same (program\$1 or application\$1 or service\$1) same (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4)) same database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:28
S117	31	((reorganiz\$5 or re?organiz\$5 or restructur\$3 or re?structur \$3) near5 ((database\$1 or storage\$1 or back?up\$1 or back?up\$1 or backup\$1) with (first or original or existing or current))) and @prad<-"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:30
S116	37	((reorganiz\$5 or re?organiz\$5 or restructur\$5 or re?structur \$3) near5 ((database\$1 or storage\$1 or back?up\$1 or backup\$1) with (first or original or existing or current))) and @rlad 20030501"</td <td>US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB</td> <td>OR</td> <td>OFF</td> <td>2007/09/25 14:30</td>	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/09/25 14:30
S113	265	S112 and @rlad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:30
S42	79	((reorganiz\$5 or re?organiz\$5 or restructur\$3 or re?structur \$3) near5 ((database\$1 or storage\$1 or back^up\$1 or backup\$1) with (first or original or existing or current)) and @ad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2007/09/25 14:30

S118	353	"5742792" and access\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:34
S47	302	"5742792" and access\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:34
S120	45	S118 and @prad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:41
S119	121	S118 and @rlad<"20030411"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:41
S115	28	S112 and @prad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:46
S125	55	S124 and @rlad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:47
S124	179	S123 and (reorganiz\$5 or re? organiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:47
S123	2416	S122 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:47
S122	17129	S121 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:47
S121	30451	database and duplicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:47
S90	28	(access\$2 same (backup\$1 or synchron\$7 or mirror\$3 or replic\$5)) and "20030411". prad.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 14:47

S129	34052	S127 and @prad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:15
S128	38681	S127 and @rlad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:15
S127	133497	\$126 and ((determin\$3 with (replica\$4 or mirror\$3 or synchron\$7) with access\$3 or allow\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:15
S126	149725	((replica\$4 or mirror\$3 or synchron\$7) with (access or allow\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:15
S82	133180	\$80 and ((determin\$3 with (replica\$4 or mirror\$3 or synchron\$7) with access\$3 or allow\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:15
S134	612	\$131 and (parallel or concurrent\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:18
S133	935	S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:18
S132	1437	\$130 and (parallel or concurrent\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:18
S131	935	\$128 and ((log or history) with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:18
S130	2218	\$127 and ((log or history) with database\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:18
\$35	1	"5742792".pn. and (parallel or concurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:18

S19	157	S17 and ((log or history) with database\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:18
S138	0	\$132 and (while with (replica \$4) same (access\$3 or allow \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:19
S137	0	\$134 and (while with (replica \$4) with (access or allow\$3))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:19
S136	612	S134	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:19
S135	0	S132 and (while with (replica \$4) with (access or allow\$3))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:19
S58	0	(while with (replica\$4) with (access or allow\$3)) and @ad<"20031001"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:19
S142	31	\$134 and ((access\$3 or request\$3) with (program\$1 or application\$1 or service\$1) with (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:20
S141	74	\$132 and ((access\$3 or request\$3) with (program\$1 or application\$1 or service\$1) with (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:20
S140	0	S134 and (while with (replica \$4) and (access\$3 or allow \$3))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:20
S139	0	\$134 and (while with (replica \$4) same (access\$3 or allow \$3))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:20

S62	4671	((access\$3 or request\$3) with (program\$1 or application\$1 or service\$1) with (read or write or input or output) with (authoriz\$5 or allow\$4 or grant\$3 or permission\$1 or permit\$4) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 15:20
S143	2	"20030065780"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 07:55
S144	1	"20030065780" and log\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 08:14
L1	15148	database and duplicate and @rlad<"20030411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:35
L4	34	L3 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:36
L3	702	((organiz\$5 or reorganiz\$5 or reorganiz\$5 or reorganiz\$5) near5 ((database\$1 or storage\$1 or back*up\$1) with (first or original or existing or current))) and @ad<"20030501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:36
L2	106	L1 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:36

^{4/11/2008 11:37:28} AM

C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-781-677__1.wsp